


AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (Currently Amended): A molded article, ~~thermoplastic elastomer composition~~ comprising an acrylic block copolymer (A) which comprises a methacrylic polymer block (a) and an acrylic polymer block (b), wherein at least one of polymer blocks among the methacrylic polymer block (a) and the acrylic polymer block (b) has an acid anhydride group and/or a carboxyl group, and an acrylic polymer (B) having 1.1 or more of epoxy groups in one molecule, wherein the acid anhydride group and/or the carboxyl group is reacted with the epoxy group at molding, and the acrylic block copolymer (A) is ~~converted to~~ crosslinked.

2. (Currently Amended): The molded article ~~thermoplastic elastomer composition~~ of Claim 1, wherein the acid anhydride group and/or the carboxyl group exist in the main chain of the acrylic block copolymer (A) and the acid anhydride group is represented by the general formula (1):



(wherein R¹ is hydrogen or a methyl group and may be the same or different, n is an integer of 0 to 3 and m is an integer of 0 or 1).

3. (Currently Amended): The molded article ~~thermoplastic elastomer composition of~~
Claims 1 or 2,

wherein the acrylic block copolymer (A) comprises 10 to 60% by weight of the
methacrylic polymer block (a) in which a methacrylic polymer is the main component and 90 to
40% by weight of the acrylic polymer block (b) in which an acrylic polymer is the main
component.

4. (Currently Amended): The molded article ~~thermoplastic elastomer composition of~~
Claim 1, wherein the acrylic polymer block (b) comprises 50 to 100% by weight of at least one
monomer selected from the group consisting of n-butyl acrylate, ethyl acrylate and 2-
methoxyethyl acrylate and 50 to 0% by weight of other acrylate ester and/or other vinyl
monomer copolymerizable with these monomers.

5. (Currently Amended): The molded article ~~thermoplastic elastomer composition~~ of Claim 1, wherein the number average molecular weight measured by gel permeation chromatography of the acrylic block copolymer (A) is 30,000 to 200,000.

6. (Currently Amended): The molded article ~~thermoplastic elastomer composition~~ of Claim 1, wherein a ratio (M_w/M_n) of the weight average molecular weight (M_w) to the number average molecular weight (M_n) measured by gel permeation chromatography of the acrylic block copolymer (A) is 1.8 or less.

7. (Currently Amended): The molded article ~~thermoplastic elastomer composition~~ of Claim 1, wherein the acrylic block copolymer (A) is a block copolymer produced by atom transfer radical ~~radical~~-polymerization.

8. (Currently Amended): The molded article ~~thermoplastic elastomer composition~~ of Claim 1, wherein the glass transition temperature of the methacrylic polymer block (a) is 25 to 130°C.

9. (Currently Amended): The molded article ~~thermoplastic elastomer composition~~ of Claim 1, wherein the weight average molecular weight of the acrylic polymer (B) is 30,000 or less.

10. (Currently Amended): The molded article ~~thermoplastic elastomer composition~~ of Claim 1, wherein a glass transition temperature of the acrylic polymer (B) is at most 100°C.

11. (Currently Amended): The molded article ~~thermoplastic elastomer composition of~~ Claim 1, wherein the acrylic polymer (B) comprises 50 to 100% by weight of at least one monomer selected from the group consisting of n-butyl acrylate, ethyl acrylate and 2-methoxyethyl acrylate and 50 to 0% by weight of other acrylate ester and/or other vinyl monomer copolymerizable with these monomers.

12. (Currently Amended): The molded article ~~thermoplastic elastomer composition of~~ Claim 1, wherein the weight average molecular weight of the acrylic polymer (B) is 500 to 10,000.

13. (canceled).

14. (Currently Amended): The molded article ~~thermoplastic elastomer composition of~~ Claim 1, wherein 5 to 200 parts by weight of a filler is further added based on 100 parts by weight of the acrylic block copolymer.

15. (Currently Amended): The molded article ~~thermoplastic elastomer composition of~~ Claim 1, wherein 0.1 to 20 parts by weight of a lubricant is further added based on 100 parts by weight of the acrylic block copolymer.

16. (canceled).

17. (Currently Amended): The ~~[[A]]~~ molded article of Claim 1, which is obtained by powder slush molding ~~the composition of Claim 1~~.

18. (Currently Amended): A superficial skin for an automobile interior, which is ~~obtained by powder slush molding the composition~~ comprises the molded article of Claim 1.

19. and 20. (canceled).